



DIE OBERKLASSE.

Bergland-Parkett
COUNTRY HOUSE FLOORING



DIE OBERKLASSE.



„Today people know the price of everything but the value of nothing.”

Oskar Wilde



OAK Auslese „Wien“, largely knot-free, sober structure



OAK



OAK Wohngefühl „Baden“, white knotty, medium structure



OAK

Down-to-earth warm, mid-brown to intensive brown tint.

Plain to well-structured streaks.



DIE OBERKLASSE.



OAK Wohngefühl „Baden“, knotty, medium structure



OAK Design Arkade „Bozen“, slightly/very knotted, brushed, bevelled, in part with worm holes of differing intensities, lively structure



Floor boards in antique look, bevelled



OAK Design „White Star“, white, slightly/very knotty, lively structure



OAK Design „Villach“, slightly/very knotted, lively structure
| also available in „Kreativ“ - 10.7 mm total thickness




OAK Design „Dürnstein“, black, oil/wax, slightly/very knotted, brushed, bevelled, lively structure



SMOKED OAK Design „Zürich“, slightly/very knotted, lively structure

SMOKED OAK Design „Black Star“, black, slightly/very knotted, lively structure

SMOKED OAK Design „Zürich“ slightly/very knotted, lively structure



SMOKED OAK Design „Black Star“ herringbone pattern, black, slightly/very knotty, lively structure

SMOKED OAK

BEECH
steamed

Light, slightly red
to deep auburn colouring.




BEECH steamed Auslese „Klagenfurt“, largely knot-free, sober structure



DIE OBERKLASSE.



BEECH steamed Design „Dornbirn“, slightly/very knotty, lively structure
also available in „Kreativ“ - 10.7 mm total thickness



BEECH steamed Auslese „Klagenfurt“



BEECH steamed Wohngefühl „Bregenz“



BEECH steamed Design „Dornbirn“



BEECH steamed Wohngefühl „Bregenz“, knotty, medium structure
also available in „Kreativ“ - 10.7 mm total thickness



BEECH natural Wohngefühl „Graz“, knotty, medium structure

BEECH natural


Light, brown colouring.



DIE OBERKLASSE.



BEECH natural Design „Wels“, slightly/very knotty, lively structure



BEECH natural Auslese „Linz“, largely knot-free, sober structure

BEECH natural

ASH

Light yellow to brownly
to pronounced dark brown colour.



DIE OBERKLASSE.



ASH Design Technogrey „Ingolstadt“, with brown core, brushed,
grey-lacquered, slightly/very knotty, lively structure



ASH Design „Melk“, with brown core, slightly/very
knotty, lively structure



ASH Auslese „St. Pölten“, largely knot-free,
sober structure



ASH Design „Melk“



ASH Auslese „St. Pölten“



ASH Wohngefühl „Eisenstadt“



ASH Wohngefühl „Eisenstadt“, knotty, medium structure

ASH



ASH Auslese „Oslo“, brushed, silver-metallic, largely knot-free, sober structure



DIE OBERKLASSE.



ASH steamed Design „Velden“, brushed, black, slightly/very knotty, lively structure



ASH Design „Pörschach“, brushed, bevelled, black, slightly/very knotty, lively structure

ASH



DIE OBERKLASSE.



„Style represents the harmony of beauty.“

PEAR steamed

Warm, auburn colouring.



PEAR steamed Wohngefühl „Madrid“
Englischer Stab, knotty, medium structure

PEAR steamed

ELM steamed

Auburn, very lively.



ELM steamed Design „Bern“ Englischer Stab,
slightly/very knotty, lively structure

ELM steamed



DIE OBERKLASSE.

MAPLE


Very tender, white to yellow colouring.



MAPLE Auslese „Salzburg“



MAPLE Wohngefühl „Ischl“



MAPLE Design „Hallstatt“



MAPLE Wohngefühl „White Star“



MAPLE Auslese „Salzburg“, largely knot-free, sober structure



MAPLE Wohngefühl „Ischl“, knotty, medium structure
also available in „Kreativ“ - 10.7 mm total thickness



MAPLE Design „Hallstatt“, slightly/very knotty, lively structure



MAPLE

MAPLE Wohngefühl „White Star“, white, knotty, medium structure



DIE OBERKLASSE.

CHERRY
steamed

Semi-gloss, warm, auburn honey tone.



CHERRY steamed Wohngefühl „Schönbrunn“, knotty, medium structure

CHERRY steamed

BIRCH AND
ALDER steamed

BIRCH: light, wheat-yellow colouring.

ALDER: soft, light-brown to reddish colour with occasional brown spots.



DIE OBERKLASSE.



BIRCH Wohngefühl „Innsbruck“, knotty, medium structure

BIRCH



ALDER steamed Wohngefühl „Kufstein“, knotty, medium structure

ALDER steamed

BLACK WALNUT
steamed

Intensive brown colour, dark to light
colour contrasts.

BLACK WALNUT steamed Design „Kitzbüchel“ Englischer Stab, slightly/very
knotty, lively structure



BLACK WALNUT
steamed

ACACIA
steamed

Red-brownish colouring.



ACACIA steamed

ACACIA steamed Design „München“ Englischer Stab, slightly/very knotty,
lively structure



ACACIA steamed Design Englischer Stab „Black Star“, black,
slightly/very knotty, vivid structure



DIE OBERKLASSE.

BERGLAND-PARKETT COUNTRY HOUSE FLOORING (1-Strip)



- ✓ Suited for floor heating! * except for „BEECH natural“
- ✓ 5 mm floor layer - Construction height 15 mm
- ✓ 3 mm floor layer - Construction height 10,7 mm
- ✓ Floor board width 14,5 m



DIE OBERKLASSE.

	Construction height mm	Collection	Knot-free*	Knotty	Slightly/very knotty	Structure	Catalogue page	Any surfaces lacquered or oil/wax					
								Brushing	Bevel	white	Antique	black	
OAK	15 mm	Arkade Bozen		✓		lively	6	yes/no	yes/no		✓	✓	✓
	15 mm	Design Villach		✓		lively	7	yes/no	yes/no	✓	✓	✓	
	15 mm	Wohngefühl Baden		✓		means	5	yes/no	yes/no	✓	✓	✓	
	15 mm	Auslese Wien	✓			sober	4	yes/no	yes/no		✓	✓	✓
SMOKED OAK	15 mm	Design Zürich		✓		lively	8	yes/no	yes/no		✓	✓	✓
	15 mm	Design Black Star		✓	lively streaky		8	yes/no	yes/no	✓	✓	✓	✓
MAPLE	15 mm	Design Halstatt		✓		lively	23	no	yes/no	✓	✓	✓	✓
	15 mm	Wohngefühl Ischl		✓		means	22	no	yes/no	✓	✓	✓	✓
	15 mm	Auslese Salzburg	✓			sober	22	no	yes/no	✓	✓	✓	✓
BEECH steamed	15 mm	Design Dornbirn		✓		lively	11	no	yes/no	✓	✓	✓	✓
	15 mm	Wohngefühl Bregenz		✓		means	11	no	yes/no	✓	✓	✓	✓
	15 mm	Auslese Klagenfurt	✓			sober	10	no	yes/no	✓	✓	✓	✓
BEECH natural	15 mm	Design Weis		✓		lively	13	no	yes/no	✓	✓	✓	✓
	15 mm	Wohngefühl Graz		✓		means	12	no	yes/no	✓	✓	✓	✓
	15 mm	Auslese Linz	✓			sober	13	no	yes/no	✓	✓	✓	✓

* Largely knot-free (slight knots up to a maximum 5 mm diameter)

	Construction height mm	Collection	Knot-free*	Knotty	Slightly/very knotty	Structure	Catalogue page	Any surfaces lacquered or oil/wax				Special surface	
								Brushing	Bevel	white	Antique		black
ASH	15 mm	Design Ingolstadt		✓		lively	14	yes	no				technogrey lacquered
	15 mm	Design Pörschach		✓		lively	17	yes	yes			✓	
	15 mm	Design Velden		✓		lively	16	yes	no			✓	
	15 mm	Design Melk		✓		lively	15	yes/no	yes/no	✓	✓	✓	
	15 mm	Wohngefühl Eisenstadt		✓		means	15	yes/no	yes/no	✓	✓	✓	
BIRCH	15 mm	Wohngefühl Insbruck		✓		means	25	no	yes/no	✓	✓	✓	
	15 mm	Wohngefühl Kufstein		✓		means	25	no	yes/no	✓	✓	✓	
	15 mm	Design München		✓		lively	27	yes/no	yes/no	✓	✓		
	15 mm	Design Black Star		✓		lively	27	yes/no	yes/no			✓	
	15 mm	Wohngefühl Schönbrunn		✓		means	24	no	yes/no	✓	✓	✓	
	15 mm	Wohngefühl Madrid		✓		means	20	no	yes/no	✓	✓	✓	
	15 mm	Design Kitzbühel		✓		lively	26	no	yes/no	✓	✓	✓	
	15 mm	Design Bern		✓		lively	21	yes/no	yes/no	✓	✓	✓	
	15 mm	Design Bern		✓		lively	21	yes/no	yes/no	✓	✓	✓	
	15 mm	Design Bern		✓		lively	21	yes/no	yes/no	✓	✓	✓	

BUILDING SECTOR



A particularly high standard is needed in commercial fields and public institutions. The robust 3-layer construction of Bergland-Parkett guarantees perfect stability – even in case of considerable use. The quality surface treatment is such as to make the floor extremely resistant and durable.

On account of the 3-layer construction, the floor meets the demands of both classification „C_{fl} - s1“ fire retardant and emitting little smoke.

The best arguments, in fact, for optimum use in the commercial field.



DIE OBERKLASSE.



ECO-LOGICAL

Our company's first priority and philosophy is the commitment to a particularly high ecological standard of our products. That is why we only purchase raw materials from sustainably managed domestic forests.

Produced while undergoing regular quality controls in a strictly ecological manner, our parquet flooring is a natural, first-grade product based on the incomparably robust 3-layer construction made of one and the same hardwood.

The basis of our products is exclusively high-grade hardwood timber. During the production process we only use ecological materials free from toxic substances and solvents.

The high quality of our products is also underlined by the rating „ecologically particularly valuable“ of the Fraunhofer Wilhelm-Klauditz-Institut, the leading institute for international research in Germany.

ÖKO-TEST, the well-known German eco-test consumer magazine, recently awarded Bergland-Parkett the highest possible grade of „very good“.

PRE-FINISHED PARQUET FLOORING from European manufacturers of high repute has been tested as to its pollutant emissions and mechanical durability.

An average room temperature of 20 - 22° C and an air humidity of 50 - 60% provide for an optimum and healthy indoor climate for people and wood alike.

All these factors combine to guarantee a naturally ecological lifestyle and pure joy for many years to come.



WOOD & WATER

- the synergetic effects of natural elementary forces

For its production of high-quality parquet floors, Bergland-Parkett relies with success on the use of the worldwide acknowledged Grander Technology.

Bergland-Parkett exploits this revitalisation effect in the processing of the natural material of wood, where natural elementary forces bouncing off each other, form an animated synthesis of the feeling of well-being and quality of life.

A unique result affecting both your residential zone and area of living.

Bergland-Parkett - the natural beauty of wood combined with the revitalisation effect of Grander-Water - to produce topquality parquet floors that are both exquisite and fascinating at the same time.



SURFACES

Oil/wax - resilience seal - untreated

Perfect surface sealing to protect your parquet floor and improve its durability.

The Bergland-Parkett surface treatment is the best protection for your parquet flooring. Depending on the field of application, Bergland-Parkett offers a broad range of surface treatments that shape the appearance of the wood and provide for healthy living.

Oil/Wax – Feel the naturalness

This surface treatment especially highlights the streak of the wooden floor. and gives the intensity of colours a very special atmosphere. In order to preserve this appearance, our recommendation is for you to use the Bergland-Parkett care products.



Resilience seal

The remarkable elasticity of our six-fold quality sealing ensures that extreme high abrasion and scratch resistance.

In keeping with the quality class „Much used floors“, our six-fold sealing offers the best possible multiple protection.

As a result of a special application procedure, the lacquer penetrates deeply into the wood forming a constantly elastic and highly resistant surface.

This considerably prolongs the durability of your parquet flooring.



DIE OBERKLASSE.

SOLID & PRE-FINISHED

Due to the exceptional construction of Bergland-Parkett, which has been the recipient of awards, it has been possible to reduce swelling and shrinkage coefficients by up to 70% as against solid wood. The solid construction and the fact of the parquet being well-set into the substrate contribute to a substantial improvement of the acoustic insulation.

USE AND INSTALLATION

Bergland-Parkett wood flooring is composed of three layers of the same hardwood presenting a total thickness of 15 mm. We also have a special 10,7 mm thick collection composed of 3 layers of hardwood. The advantage of this 3-layer construction is that the parquet flooring is particularly hard-wearing and dimensionally stable. Furthermore it is eminently suitable for both floating and glued installation (10.7mm needs to be glued).



FLOOR HEATING

With the exception of one wood species (natural beech), all Bergland-Parkett floorings are suited for installation on radiant floor heating given that the specific laying instructions of the manufacturer are observed. The special 3-layer construction considerably improves the thermal conductivity of floor heating systems.

MAXIMUM SAFETY

Bergland-Parkett flooring complies with the classifications of „C_{fl} - s1“ fire retardant and emitting little smoke in keeping with the statutory regulations and provisions. It thus meets the regulations applying to property construction and attic extensions.

CHAIR CASTER SUITABILITY

In accordance with ÖNORM EN 425 and the defined chair rollers (simple casters, Type W, soft running surface), Bergland-Parkett with its six-fold quality sealing has been subjected to a special examination involving over 25,000 rotations in the chair caster tester. It can, as a result, be termed „suitable for chair casters“. However, it is important with regard to office swivel chairs for casters to be chosen which are suitable for wooden flooring.

UNIQUE DESIGN & AWARD- ACCLAIMED ENGINEERING

- Three layers from one and the same hardwood
- 5 mm floor layer to withstand the maximum stresses imposed
- Hardwood centre layer for excellent stability
- 70% reduction in the swelling and shrinkage dimensions
- Exceptional design backed with innovative engineering
- Unites the benefits of solid and pre-finished parquet floorings
- Controlled quality
- Improved acoustic properties thanks to the special construction
- Maximum degree of safety coming from categories „C_{fl} - s1“ fire retardant and s1 emitting little smoke
- Use of raw materials only from sustainably managed forests



LEGAL NOTICE
 Publisher: Holzindustrie Amashauffer - Karl Amashauffer Ges.m.b.H.
 3252 Petzenkirchen/Kendl, Austria - www.bergland-parkett.at
 Concept/Graphics/Typography: TeamCraft Werbeagentur KG - www.teamcraft.at
 Photo credits: TeamCraft KG, Imagefoto, Fa. Sommerhuber, aboutpixel.de/
 Beneke Traub, Beta-Hotel, Charly Moden
 The following rights are reserved – collection modifications undertaken by the manufacturer, variations in colour due to printing as well as printing errors.



LUXURY CLASS.

Our company has been working with the valuable raw material wood for more than 100 years.

As a result of our intensive involvement and continuous learning processes during this time, we have developed highly innovative manufacturing techniques that distinguish the company today through its outstanding quality, which is renowned far beyond our borders.

Thus Bergland-Parkett was the first manufacturer to succeed in producing a 3-layer solid parquet flooring from one and the same deciduous wood, and in this way to combine all the advantages of solid and pre-finished parquet in one product – solid wood and pre-finished parquet at the same time.

Our ongoing investment in the best, highly motivated staff and our modern production techniques are the guarantee of our philosophy of aiming for the highest quality.

In this way Bergland-Parkett creates parquet floors that hold their value timelessly and can be used for decades.

Thomas Amashauffer
Managing Director

Sarl PARIS ESPACE ECO
30 rue de St Petersburg
75008 PARIS
Téléphone : 01 53 43 83 84
mail : parisespace-eco@wanadoo.fr
www.parisespace-eco.com

Quality has its price.

Bergland-Parkett – Your decision for lasting value.
This is why our select floors are available only from
authorised specialist dealers.

